

Common Parameters

Common Parameters

These parameters apply to all Attributes except TptShowAsLabelBrushInspector.

Param	Value	Description
spaceMode	enum SpaceMode	Adds space or a line before or after the item, or both before and after.
showMode	enum ShowMode	Controls visibility: Always, only when playing, only when not playing, or use a property.
visibilityProperty	string	When showMode == Property then this is the name (in quotes) of the property is used to control visibility. If the property returns true, then the item is shown. Prepending a ! character to the name of the property inverts the property's value.

About “Show as Label” Attributes

- You can create a property just to show it as a label, based on other values in your class. See “Tips,” below.
- The Brush Inspector is only affected by `[TptShowAsLabelBrushInspector]`, hence, it can only show strings for both fields and properties. This is because what’s displayed is information about the actual asset, and that should only be changed from the Project window and a normal Unity inspector.
- These attributes have a few extra parameters:
 - useHelpBox: show as an ImGui HelpBox rather than a label.
 - splitCamelCaseNames: controls how field or property names are displayed.
 - tooltip: a Tooltip for the field or property.

About TptShowCustomGui

This attribute is placed above a method in a tile’s code. The method should use ImGui to display whatever information desired. Note that the method name itself is irrelevant.

The method should have a signature like this: `public CustomGuiReturn CustomGui(GuiSkin,Vector2,bool)`

The `GuiSkin` may be useful in the method, and the `Vector2` has button sizes. You may or may not need these. The boolean value is true if the tile is in a prefab and shouldn't be edited. You can use this to display a warning.

If the access is not public or protected, then the method will be ignored. The return value from the custom GUI method indicates if any fields were modified, whether the tile should be refreshed, and whether to force a scene save.

It's not advised to make custom GUI methods virtual, but if you do, please use 'new' rather than 'override' in subclasses as using override will make the generated GUI appear in the same foldout section as the overridden method.

About TptShowField for int and float fields

`TptShowField`'s min and max parameters control whether ints and floats display editable fields or slider controls. If these are both zero (the default) then normal editable fields are displayed. If not, then a slider using those two values will appear. When the slider is visible and the slider values change, the configuration setting "AutoSave" is ignored, as that results in way too many scene saving invocations as the sliders are moved. The configuration setting "Allow sliders" can be unchecked to revert to editable fields. Using these parameters with other types of fields has no effect.

How to Trigger Methods

The `TptShowMethodAsButton` attribute is very handy for debugging. If you place this attribute right above a public or protected method, a button will appear which you can use to Invoke the method from within the Selection Inspector. The buttons won't appear if the tile is simulating. Note that if the method access is private then the method is ignored.

This comes with one restriction: the method must have no parameters, and you'll see an error message in the Selection Inspector if the method has parameters. You can find numerous examples of this technique in the supplied TPT tiles.

About Object Field Attributes

The `TptShowObjectField` attribute requires a specification for `Type`. For example:

```
[TptShowObjectField(typeof(GameObject))]  
public GameObject m_AGameObject;
```

This field can be used to drag Scene or Project references into fields for GameObjects, Components, Transforms, Prefabs, etc., when the Selection Inspector is focused on a TPT tile.

Another important parameter for this attribute is `allowSceneObjects`. If this is true, the Object field can include scene objects. Set this parameter to false if the tile will end up in a Prefab or will be archived in a `TpTileBundle`.

Using `TppShowField` with Unsupported Types

If the `TppShowField` attribute is used on an unsupported Type or custom Type, an Object picker is shown, or in some cases just the `ToString()` representation of the object. If the field represents a `UnityEngine.Object` (for example, a Scriptable Object) then an Open Inspector button will appear.

For example, `TpFlexAnimatedTile` uses this feature to display the name of the `AnimationClipSet`. Since that's a Scriptable Object asset, the button opens an Inspector where you can edit the list of sprites. Note that the list of sprites is a normal asset, so if you change anything it affects any and every TPT tile that uses the asset.

Field, Enum, Object special feature

The `Field`, `Enum`, and `Object` attributes have another parameter: `updateTpLib`. The default value is false. If set true and the field, enum, or Object is changed in the Selection Inspector or TilePlus Utility then `TpLib.UpdateInstance` is called. This feature was created to accommodate multiple tags for a tile, and `TpLib.UpdateInstance` handles that automatically.

To support custom use of this feature, during Editor sessions, `TpLib.UpdateInstance` writes an array of field names that were modified to the overridable property `UpdateInstance`, although it's unlikely that there'd be more than one field name.

You can use `.Contains` on the received array to see if there's a field you're interested in if you ever need to use this. Examples can be found in `TpFlexAnimatedTile.cs` and `TpSlideShow.cs`, where changes in the sprite and slide assets require some internal updates to the tile instance.

In Play Mode

The ShowMode value for attributes can be used to control what is displayed when in Play mode. However, some features automatically change in Play mode or when a TilePlus tile is Locked.

- Unsupported field editor buttons become unavailable.
- All fields display as IMGUI Helpboxes, except if you set ForceFieldInPlay = true
 - Note that ForceFieldInPlay is intended for development only and depending on the field Type may have unintended results including crashes.

If you have any concern that the display might affect your playing app, either ensure that the Tile+Painter window is closed, and that the Selection Inspector isn't focused on a tile or use the Configuration Editor (Tools/TilePlus/Special/Configuration Editor) to toggle the "Safe Play Mode."

Revision #4

Created 2025-07-08 15:04:28 UTC by Vonchor

Updated 2025-08-18 13:03:46 UTC by Vonchor